Notice of Allowability	Application No.	Applicant(s)
	09/895,536	MAGDYCH ET AL.
	Examiner	Art Unit
	Benjamin A. Ailes	2142
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in this apport of the communication GRASS. This application is subject to CATSS. This application is CATSS. This applica	olication. If not included will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>correspondence filed</u> :	3/22/06 and 5/16/06.	
2. The allowed claim(s) is/are <u>1-7,10-12,14-20,23-25,27-30 ar</u>	nd 34.	
 Acknowledgment is made of a claim for foreign priority unda) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply of ENT of this application.	complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMINER' s reason(s) why the oath or declara	S AMENDMENT or NOTICE OF tion is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperson 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the deposed of the deposed attached Examiner's comment regarding REQUIREMENT F. 	Amendment / Comment or in the O 34(c)) should be written on the drawing header according to 37 CFR 1.121(c) it of BIOLOGICAL MATERIAL n	ffice action of gs in the front (not the back) of i). nust be submitted. Note the
Attachment(s) 1. □ Notice of References Cited (PTO-892) 2. □ Notice of Draftperson's Patent Drawing Review (PTO-948)		atent Application (PTO-152)
 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date <u>5/16/2005</u> 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	Paper No./Mail Date B), 7. ⊠ Examiner's Amendr	nt of Reasons for Allowance
		EW CALDWELL A PATENT EXAMINE

Application/Control Number: 09/895,536

Art Unit: 2142

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on 22 March 2006 has been entered.

Information Disclosure Statement

2. The examiner has considered the information disclosure statement (IDS) submitted 16 May 2006.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kevin Zilka (Reg. No. 41,429) on 15 December 2005.

The application has been amended as follows:

The abstract of the present application has been amended as follows:

Art Unit: 2142

Please delete -

SYSTEM, METHOD AND COMPUTER PROGRAM PRODUCT FOR IMPROVED EFFICIENCY IN NETWORK ASSESSMENT UTILIZING VARIABLE TIMEOUT VALUES

Examiner has amended the abstract removing the title information. An amended copy of the abstract is attached.

Application/Control Number: 09/895,536 Page 4

Art Unit: 2142

ABSTRACT

A system, method and computer program product are provided for executing a risk-assessment scan with a variable timeout duration which is set based on network conditions. Initially, network conditions are measured in a network coupled between a source and a target. Subsequently, a risk-assessment scan is executed on the target from the source. A timeout is performed prior to making a determination that the target is failing to respond to the risk-assessment scan. Such timeout includes a variable duration which is set as a function of the measured network conditions.

Application/Control Number: 09/895,536

Art Unit: 2142

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Benjamin A. Ailes whose telephone number is (571)272-3899. The examiner can normally be reached on M-F 6:30-4, IFP Work Schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Caldwell can be reached on (571)272-3868. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

baa

PATENT EXAMINER

Andria (caldwa/

Page 5